

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	265	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) with (code or class or methods) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L3	441	(aggregate or sum or combine or collect\$3 or accumulat\$3) same (code or class or methods) with (interface or contract or implement) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L4	13	(aggregate) with (code or class or methods) with (interface or contract or implement) with ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L5	7257	(database or dbms or db) and (aggregate or sum) and (code or class or methods) and ("user-defined" or user adj defined or user?defined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L6	1817	(database or dbms or db) and (aggregate or sum or combine or collect\$3 or accumulat\$3) same (code or class or methods) same ("user-defined" or user adj defined or user?defined or custom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L7	16504	(database or dbms or db) and (aggregate or sum or combine or collect\$3 or accumulat\$3) and (code or class or methods) and ("user-defined" or user adj defined or user?defined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L8	17	(aggregate or sum) with (code or class or methods) with (interface or contract or implement) with ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15

EAST Search History

L9	30	(aggregate or sum) with (code or class or methods) with (interface or contract or implement) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L10	37	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) with (code or class or methods) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L11	108	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) with (code or class or methods) with ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L12	69	(aggregate or sum) same (code or class or methods) with (interface or contract or implement) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L13	738	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) same (code or class or methods) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L14	23	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) same (code or class or methods) with (interface or contract or implement) same ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L15	2683	(database or dbms or db) and (aggregate or sum or combine or collect\$3 or accumulat\$3) same (code or class or methods) same ("user-defined" or user adj defined or user?defined or custom or customized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15

EAST Search History

L16	25	"6,505,211".pn. "6,199,100".pn. "6,223,344".pn. "6,708,196".pn. "5,297,279".pn. "5,437,027".pn. "5,864,862".pn. "6,564,205".pn. "20020198891".pn. or "5900870".pn. or "6,047,291".pn. "6,112,024".pn. "6,199,195".pn. "6,338,056".pn. "6,370,541".pn. "6,519,597".pn. "6,556,983".pn. "6,578,046".pn. "6,772,178".pn. "6,108,004".pn. "20020091702".pn. "20020152422".pn. "6,070,174".pn. "6,671,687".pn. "6,785,690".pn.	US-PGPUB; USPAT	OR	ON	2007/02/19 14:15
L17	85	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) with (code or class or methods) same ("user-defined" or user adj defined or user?defined or custom or customized) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L18	17	(database or dbms or db) same (aggregate or sum or combine or collect\$3 or accumulat\$3) with (class) same ("user-defined" or user adj defined or user?defined or custom or customized) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L19	15	(aggregate) same (class) same ("user-defined" or user adj defined or user?defined) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L20	11	(aggregate) same ("user-defined" or user adj defined or user?defined) same (contract or interface) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L21	37	(aggregate) same ("user-defined" or user adj defined or user?defined) same (contract or interface) not L20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15

EAST Search History

L22	93	(class) with (interface) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L23	3	(aggregat\$3 or combin\$5) same (class) with (interface) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L24	81	(aggregat\$3 or combin\$5) and (class) with (interface) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L25	32	(aggregat\$3) and (class) with (interface) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L26	130	(class) with (interface or contract or implement) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L27	451	(code or class or methods) with (interface or contract or implement) with ("user-defined" or user adj defined or user?defined or custom or customized) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:15
L28	15	"6,047,291".pn. "6,112,024".pn. "6,199,195".pn. "6,338,056".pn. "6,370,541".pn. "6,519,597".pn. "6,556,983".pn. "6,578,046".pn. "6,772,178".pn. "6,108,004".pn. "20020091702".pn. "20020152422".pn. "6,070,174".pn. "6,671,687".pn. "6,785,690".pn.	US-PGPUB; USPAT	OR	OFF	2007/02/19 14:15

EAST Search History

L29	10	"6,505,211".pn. "6,199,100".pn. "6,223,344".pn. "6,708,196".pn. "5,297,279".pn. "5,437,027".pn. "5,864,862".pn. "6,564,205".pn. "20020198891".pn. "5,900,870".pn.	US-PGPUB; USPAT	OR	OFF	2007/02/19 14:15
L30	4	"5297279".pn. "5437027".pn. "5864862".pn. "6564205".pn.	USPAT	OR	OFF	2007/02/19 14:15